




ITEM	QTY -041	P/N	DESCRIPTION
	X	D4366-041	WEARPLATE ASSY
1	1	D4366-1	PLATE
2	1	D4367-041	BAR



D4366-041 FWD WEARPLATE ASSY

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4366-041" PER QSI 044 6.1
- 7) WEIGHT: D4366-041 = 5.30 lbs
- 8) WELDING: PER QSI 004
- 9) COAT ENTIRE TOP (CONCAVE) SURFACE WITH TEXTURED COATING, 0.020 - 0.040 THICK, PER DART QSI 005 4.9.
- 10) TRANSFER DRILL Ø0.188 HOLES THRU D4367-041 BAR WELDMENT FROM D4366-1 WEARPLATE AFTER WELDING



RELEASED  
2016-06-16  
EEN16-594

APPROVED

C	D4367-041 WAS D4367-1, D4367-043 WAS D4367-3, REMOVE HARDCOAT WELD (MOVED TO D4367), UPDATE TOLERANCES, PART WEIGHTS (SH 3&4), RELABELED VIEWS, UPDATE NOTES	DB	16.04.11
B	TEXTURED COATING WAS ROCKGUARD 4714 (BOM TABLE), REVISE NOTE 10 (SH 2),	DB	13.11.04
A	NEW ISSUE	SC	11.06.14
REV.	DESCRIPTION	BY	DATE
DESIGN	SC	DART AEROSPACE USA, INC. EUGENE, OR	
DRAWN	DB		
CHECKED	ML	DRAWING NO. REV. C	
MFG. APPR.	DD	D4366 SHEET 1 OF 5	
APPROVED	WM	TITLE SCALE	
DE APPR.	DS	WEARPLATE ASSY NTS	
DATE	16.04.11	COPYRIGHT © 2011 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	


ITEM	QTY -043	P/N	DESCRIPTION
	X	D4366-043	WEARPLATE ASSY
1	1	D4366-3	PLATE
2	1	D4367-043	BAR WELDMENT

D



C

B

A



D4366-043 AFT WEARPLATE ASSY



- NOTES:
- 1) MATERIAL: N/A
  - 2) FINISH: NONE
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: N/A
  - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4366-043" PER QSI 044 6.1
  - 7) WEIGHT: D4366-043 = 6.56 lbs
  - 8) WELDING: PER QSI 004
  - 9) COAT ENTIRE TOP (CONCAVE) SURFACE WITH TEXTURED COATING, 0.020 - 0.040 THICK, PER DART QSI 005 4.9.
  - 10) TRANSFER DRILL Ø0.188 HOLES THRU D4367-043 BAR WELDMENT FROM D4366-3 WEARPLATE AFTER WELDING



RELEASED  
2016-06-16

APPROVED


DESIGN	SC	DART AEROSPACE USA, INC.	
DRAWN	DB	EUGENE, OR	
CHECKED	ML	DRAWING NO.	REV. C
MFG. APPR.	DD	D4366	SHEET 2 OF 5
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	WEARPLATE ASSY	NTS
DATE	16.04.11	COPYRIGHT © 2011 BY DART AEROSPACE USA, INC. <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

D

C

B

A



**D4366-1 PLATE**  
(MAKE FROM D4366-1F)

**D4366-1F PLATE**  
(FLAT PATTERN)


**NOTES:**

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET PER AMS 5513 OR 5524 OR ASTM A240 OR ASME SA240, 18 GAUGE (0.050 THICK), REF. DART SPEC. M304S18GA
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 2.79 lbs

**RELEASED**  
2016-06-16

APPROVED

DESIGN	SC	<b>DART AEROSPACE USA, INC.</b>	
DRAWN	DB	EUGENE, OR	
CHECKED	ML	DRAWING NO.	REV. C
MFG. APPR.	DD	D4366	SHEET 3 OF 5
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	WEARPLATE ASSY	NTS
DATE	16.04.11	COPYRIGHT © 2011 BY DART AEROSPACE USA, INC.	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.			



**D4366-3 PLATE**  
(MAKE FROM D4366-3F)

**D4366-3F PLATE**  
(FLAT PATTERN)


**NOTES:**

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET PER AMS 5513 OR 5524 OR ASTM A240 OR ASME SA240, 18 GAUGE (0.050 THICK), REF. DART SPEC. M304S18GA
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 3.36 lbs

**RELEASED**  
2016-06-16

APPROVED

DESIGN	SC	<b>DART AEROSPACE USA, INC.</b> EUGENE, OR	
DRAWN	DB		
CHECKED	ML	DRAWING NO.	REV. C
MFG. APPR.	DD	<b>D4366</b>	SHEET 4 OF 5
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	<b>WEARPLATE ASSY</b>	NTS
DATE	16.04.11	COPYRIGHT © 2011 BY DART AEROSPACE USA, INC. <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	



RELEASED  
2016-06-16

APPROVED

DESIGN	SC	<b>DART AEROSPACE USA, INC.</b> EUGENE, OR	
DRAWN	DB		
CHECKED	ML	DRAWING NO.	REV. C
MFG. APPR.	DD	D4366	SHEET 5 OF 5
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	WEARPLATE ASSY	NTS
DATE	16.04.11	COPYRIGHT © 2011 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	